

277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS	J
6	GREEN	1	GROUND	1
	WHITE	2	NEUTRAL	1
	BLACK	3	LINE	L
				Γ
				1
				1
				1
				ı
				1
				ı
				1
				1
┖				1
				1
				_



100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mall: support@electeconline.com

OWNERSHIP OF DOCUMENTS


This drawing and accompanying information as instrument of service are the property of *ELECTEC*. Reproduction or use in whole or in part in any form whether the work for which they are presented be executed or not is forbidden without the express written permission of *ELECTEC*.

	FIXTURE	INTERCEPTOR
--	---------	-------------

100347Flcc

DRAWN BY: J.Y.	APPROVED: D.H.
DATE:	SCALE:
21-0CT-08	N.T.S.

100347FI.9



277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS	Г
6	GREEN	1	GROUND	ı
	WHITE	2	NEUTRAL	ı
	BLACK	3	LINE	L
				Γ
				ı
				ı
				ı
				ı
				ı
				ı
				ı
				ı
				ı
				ı
_				┺



100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mall: support@electeconline.com

OWNERSHIP OF DOCUMENTS


This drawing and accompanying information as instrument of service are the property of *ELECTEC*. Reproduction or use in whole or in part in any form whether the work for which they are presented be executed or not is forbidden without the express written permission of *ELECTEC*.

DUAL PLU	G/RECEPTACLE
----------	--------------

100347PTRTcc

DRAWN BY: J.Y.	D.H.
DATE:	SCALE:
21-0CT-08	N.T.S.

100347PTRT.8



ITEM	DESCRIPTION	PART#/POSITION	REMARKS	Г
6	GREEN	1	GROUND	ı
	WHITE	2	NEUTRAL	ı
	BLACK	3	LINE	
				Г
				ı
				1
				ı
				ı
				ı
				1
				ı
				1
				ı
				_



OWNERSHIP OF DOCUMENTS

This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented be executed or not is forbidden without the express written permission of ELECTEC.


100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9				
TELEPHONE (613) 836-0300 FAX (613) 836-0391				
TOLL-FREE (866) 233-5328 FAX (866) 933-1933				
e-mail: support@electeconline.com				

DUAL RECEPTACLE

100347RTRTcc

DRAWN BY:	APPROVED:
J.Y.	D.H.
DATE:	SCALE:
21-0CT-08	N.T.S

- 100347RTRT.9



- BRASS TERMINAL
- BRASS GROUND TERMINAL
- MOULDED THERMOPLASTIC
- (4) "ULTRALX" AC90/MC or AC90 or MC LS 600V 90°C (CSA 22.2 No. 51-95 and UL 1569)
- LOCKNUTLESS BOX CONNECTOR 1/2" K.O.
- TAIL WITH STRIPPED ENDS

SYSTEM IS RATED FOR CONNECTION TO A GROUNDED 277V OR 347V BRANCH CIRCUIT. MANUFACTURED WIRING SYSTEM UTILIZING 12 AWG APPROVED ULTRALX CABLE. INSTALLATION IN ACCORDANCE WITH THE CEC PART I OR THE NEC.

ACCEPTABLE FOR USE IN ENVIRONMENTAL AIR SPACES OTHER THAN DUCTS OR PLENUMS PER CEC PART I 12-010(3) OR NEC 300-22(C)

> MEETS OR EXCEEDS: - CSA 22.2 NO. 203.1 - UL 183

ACCEPTABLE MEANS FOR DISCONNECTING LUMINARIES PER CEC PART I 30-308(4) OR NEC 410.73(G).

> Manufactured with "AC90/MC"



Manufactured Manufactured

"AC90"

with



277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS	ı
4	BARE	1	GROUND	ı
	WHITE	2	NEUTRAL	ı
	BLACK	3	LINE	L
				I
				ı
┖				ı
ـــــ				l
ـــــ				ı
▙				l
				l
—				l
-				l
				l
-				l

ELECTEC

OWNERSHIP OF DOCUMENTS

This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented is executed or not is forbidden without the express written permission of **ELECTEC**.

e-mail: support@electeconline.com STARTER CABLE


100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391

TOLL-FREE (866) 233-5328 FAX (866) 933-1933

101347SCSccIIId

SCS.8

DRAWN BY: J.Y.	APPROVED: D.H.	
DATE: 27-NOV-08	SCALE: N.T.S.	101347



- (1) BRASS BLADE
- 2 BRASS GROUND PIN
- 3 MOULDED THERMOPLASTIC
- (4) "ULTRALX" AC90/MC or AC90 or MC LS 600V 90°C (CSA 22.2 No. 51-95 and UL 1569)
- (5) BRASS GROUND TERMINAL
- (6) BRASS TERMINAL

SYSTEM IS RATED FOR CONNECTION TO A GROUNDED 277V OR 347V BRANCH CIRCUIT.

MANUFACTURED WIRING SYSTEM UTILIZING 12 AWG APPROVED ULTRALX CABLE.

INSTALLATION IN ACCORDANCE WITH THE CEC PART I OR THE NEC.

ACCEPTABLE FOR USE IN ENVIRONMENTAL AIR SPACES OTHER THAN DUCTS OR PLENUMS
PER CEC PART I 12-010(3) OR NEC 300-22(C)

MEETS OR EXCEEDS: - CSA 22.2 NO. 203.1 - UL 183

ACCEPTABLE MEANS FOR DISCONNECTING LUMINARIES PER CEC PART I 30-308(4) OR NEC 410.73(G).

Manufactured with "AC90/MC"



Manufactured Manufactured

with "AC90"

with "MC"

R 91749

277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS	Γ
4	BARE	1	GROUND	1
	WHITE	2	NEUTRAL	1
	BLACK	3	LINE	L
				Γ
				1
				1
				1
				1
				1
				1
				1
				1
				1
				1
				_

ELECTEC

100-5977 HA ELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mail: support@electeconline.com

OWNERSHIP OF DOCUMENTS


This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented is executed or not is forbidden without the express written permission of **ELECTEC**.

JOINER CABLE

102347JCSccIIId

DRAWN BY: J.Y.	APPROVED: D.H.
DATE: 27-NOV-08	SCALE: N.T.S.

102347JCS.8



- (1) BRASS BLADE
- 2 BRASS GROUND PIN
- (3) MOULDED THERMOPLASTIC
- (4) "ULTRALX" AC90/MC or AC90 or MC LS 600V 90°C (CSA 22.2 No. 51-95 and UL 1569)
- (5) LOCKNUTLESS BOX CONNECTOR 1/2" K.O.
- (6) TAIL WITH STRIPPED ENDS

SYSTEM IS RATED FOR CONNECTION TO A GROUNDED 277V OR 347V BRANCH CIRCUIT.

MANUFACTURED WIRING SYSTEM UTILIZING 12 AWG APPROVED ULTRALX CABLE.

INSTALLATION IN ACCORDANCE WITH THE CEC PART I OR THE NEC.

ACCEPTABLE FOR USE IN ENVIRONMENTAL AIR SPACES OTHER THAN DUCTS OR PLENUMS PER CEC PART I 12-010(3) OR NEC 300-22(C)

MEETS OR EXCEEDS: - CSA 22.2 NO. 203.1 - UL 183

ACCEPTABLE MEANS FOR DISCONNECTING LUMINARIES PER CEC PART I 30-308(4) OR NEC 410.73(G).

Manufactured with "AC90/MC"



Manufactured Manufactured

with "AC90"



IR 91749

277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS
4	BARE	1	GROUND
	WHITE		NEUTRAL
	BLACK	3	LINE
_			
_			

ELECTEC

100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mail: support@electeconline.com

OWNERSHIP OF DOCUMENTS


This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented is executed or not is forbidden without the express written permission of **ELECTEC**.


DROP CABLE

102347JCSTccIIId

DRAWN BY:	APPROVED:
J.Y.	D.H.
DATE:	SCALE:
27-NOV-08	N.T.S.

102347JCST.9





- BRASS BLADE
- BRASS GROUND PIN
- MOULDED THERMOPLASTIC
- (4) "ULTRALX" AC90/MC or AC90 or MC LS 600V 90°C (CSA 22.2 No. 51-95 and UL 1569)
- (5) LOCKNUTLESS BOX CONNECTOR 1/2" K.O.
- TAIL WITH STRIPPED ENDS

SYSTEM IS RATED FOR CONNECTION TO A GROUNDED 277V OR 347V BRANCH CIRCUIT. MANUFACTURED WIRING SYSTEM UTILIZING 12 AWG APPROVED ULTRALX CABLE. INSTALLATION IN ACCORDANCE WITH THE CEC PART I OR THE NEC. ACCEPTABLE FOR USE IN ENVIRONMENTAL AIR SPACES OTHER THAN DUCTS OR PLENUMS

> PER CEC PART I 12-010(3) OR NEC 300-22(C) **MEETS OR EXCEEDS: - CSA 22.2 NO. 203.1** - UL 183

Manufactured with "AC90/MC"



Manufactured Manufactured with



with "MC"

277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS
4	BARE	1	GROUND
	WHITE		LINE
	BLACK	3	SWITCH LEG/RETURN
	BLANK	4	NOT CONNECTED

ELECTEC

100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mail: support@electeconline.com

OWNERSHIP OF DOCUMENTS


This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented is executed or not is forbidden without the express written permission of **ELECTEC**.

CABLE

104347SWCSccIIId

DRAWN BY: J.Y.	APPROVED: D.H.
DATE:	SCALE:
27-NOV-08	N.T.S.

104347SWCS.9



- (1) BRASS BLADE
- (2) BRASS GROUND PIN
- (3) MOULDED THERMOPLASTIC

WHERE "cc" REPRESENTS COLOUR CODE I.E. "BK" IS BLACK

SYSTEM IS RATED FOR CONNECTION TO A GROUNDED 277V OR 347V BRANCH CIRCUIT.

MANUFACTURED WIRING SYSTEM UTILIZING 12 AWG APPROVED ULTRALX CABLE.

INSTALLATION IN ACCORDANCE WITH THE CEC PART I OR THE NEC.

ACCEPTABLE FOR USE IN ENVIRONMENTAL AIR SPACES OTHER THAN DUCTS OR PLENUMS
PER CEC PART I 12-010(3) OR NEC 300-22(C)

MEETS OR EXCEEDS: - CSA 22.2 NO. 203.1 - UL 183







277 OR 347 Volt 20 Amp

CDN. PATENT - 1219307

U.S. PATENT - 4775802

ITEM	DESCRIPTION	PART#/POSITION	REMARKS]
				1
				1
				1
				Т
]
].
]
] i
				_ F
				١,
				1,
				۱ [
				1

() ELECTEC	
	٠
ELECTEL	,

100-5977 HAZELDEAN ROAD, OTTAWA, ONTARIO, CANADA K2S 1B9 TELEPHONE (613) 836-0300 FAX (613) 836-0391 TOLL-FREE (866) 233-5328 FAX (866) 933-1933 e-mail: support@electeconline.com

OWNERSHIP OF DOCUMENTS

This drawing and accompanying information as instrument of service are the property of **ELECTEC**. Reproduction or use in whole or in part in any form whether the work for which they are presented is executed or not is forbidden without the express written permission of **ELECTEC**.

BLANKING PLUG

105347BPcc

DRAWN BY: J.Y.	APPROVED: D.H.
DATE: 27-NOV-08	SCALE: N.T.S.

105347BP.6

